

“WORK SMARTER NOT HARDER”

SplitStone[®]

Fast, safe and productive quarrying

SP100 series



SplitStone -wedge technology is based on a splitting method developed in collaboration with specialized quarry companies.

SplitStone improves productivity and safety in quarrying, civil engineering and environmental mining. The safety of the device is ensured in accordance with the CE marking.

The SP100 splitter on site



Portable SP100 for small or tight quarries

The SP100 is a product line for manual wedges. The product includes a lightweight 230V unit with single wedge, or models mounted on a cart with multiple wedge cylinder wheels.

The kit is intended for small quarries such as those inside buildings where blasting is prohibited and the use of machine-driven wedges is not possible.



Technical info	SP100 -series
<i>Drilling Diameter</i>	38 45 mm
<i>Minimum drilling depth</i>	550, 650 and 750 mm
<i>Wedge lenght (Wedging deep)</i>	300, 400 and 500 mm
<i>Total lenght of splitter</i>	900, 1000 and 1100 mm
<i>Weight of wedge (Wedge cylinder)</i>	33-37kg
<i>Maximum allowed hydr. Pressure</i>	400 bar and 500 bar
<i>Hydraulic unit electric</i>	230 V 1,5 kW
<i>Hoses lenght</i>	1 + 9 m
<i>Weight of hydraulic unit</i>	49 kg

Local Dealer

Manufacturer

www.splitstone.fi

Kirnuvuori Oy
Kirkonkyläntie 100
23200 VINKKILÄ
FINLAND
e-mail info@splitstone.fi